



MAINTENANCE SCHEDULE

2005 LR3 – (Arduous Use)

Owner's Name: _____

VIN:
Last eight

5	A						
---	---	--	--	--	--	--	--

DATE:

Month	Month	Day	Day	Year	Year	Year	Year

MILES:

--	--	--	--	--	--

RO:

--	--	--	--	--	--	--	--



MAINTENANCE SCHEDULE

2005 LR3 – (Arduous Use)



CAUTION: Do not perform two wheel roller tests.

Loaded I/M testing of permanent four wheel drive or traction control equipped vehicles must be conducted on a four wheel drive synchronized dynamometer. Otherwise a non-loaded test procedure must be followed.



NOTE: Some items do not need to be carried out at every service. All required steps in a specific service are identified in the column headed by the mileage/month by a check box -

IMPORTANT

IT IS RECOMMENDED THAT:

- After 50 miles (80 km) of continuous use in severe off road conditions – wading, deep mud, and abrasive grit/slurry – the electric park brake should be inspected, cleaned and adjusted. The serpentine engine drive belts should also be inspected and cleaned.
- If a vehicle is used extensively in arduous/ off road conditions, the road wheel speed sensors, brake pads and calipers should be checked for abrasive wear every 1000 miles (1500 kilometers).
- When the vehicle is used in dusty or off road conditions, or is subjected to deep wading, frequent replacement of the air cleaner may be required .

For full details regarding the operations contained in this maintenance check sheet, please refer to the Workshop Manual.