



MAINTENANCE SCHEDULE

2005 LR3 – (Normal Use)

Owner's Name: _____

VIN:
Last eight

5	A						
---	---	--	--	--	--	--	--

DATE:

Month	Month	Day	Day	Year	Year	Year	Year

MILES:

--	--	--	--	--	--

RO:

--	--	--	--	--	--	--	--



MAINTENANCE SCHEDULE

2005 LR3 – (Normal Use)



CAUTION: Do not perform two wheel roller tests.

Loaded I/M testing of permanent four wheel drive or traction control equipped vehicles must be conducted on a four wheel drive synchronized dynamometer. Otherwise a non-loaded test procedure must be followed.



NOTE: Some items do not need to be carried out at every service.

All required steps in a specific service are identified in the column headed by the mileage/month by a check box -

IMPORTANT

IT IS RECOMMENDED THAT VEHICLES SUBJECTED TO OFF ROAD OR HARD USE BE MAINTAINED ACCORDING TO THE "ARDUOUS USE" MAINTENANCE SCHEDULE. At the least the following precautions must be observed:

- After 50 miles (80 km) of continuous use in severe off road conditions – wading, deep mud, and abrasive grit/slurry – the electric park brake should be inspected, cleaned and adjusted. The serpentine engine drive belts should also be inspected and cleaned.
- If a vehicle is used extensively in arduous/ off road conditions, the road wheel speed sensors, brake pads and calipers should be checked for abrasive wear every 1000 miles (1500 kilometers).
- When the vehicle is used in dusty or off road conditions, or is subjected to deep wading, frequent replacement of the air cleaner may be required .

For full details regarding the operations contained in this maintenance check sheet, please refer to the Workshop Manual.